ELSEVIER

Gene 186 (1997) 309–311

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 186 (1997)

Achstetter T., see Nacken, V (186) 149
Adams, M.J., see Marsden, M.D. (186) 237
Alekshun, M., Kashlev, M. and Schwartz, I.
Molecular cloning and characterization of *Borrelia burgdorferi rpoB* (186) 227
Andreozzi L., see Saccone S. (186) 151
Arona, M., see Feltri, M.L. (186) 299

Barnard, J.F.J., see Clugston, S.L. (186) 103
Belkhiri, A., Intengan, H. and Klassen, G.R.
A tandem array of 5S ribosomal RNA genes in *Pythium irregulare* (186) 155
Bernardi G., see Saccone S. (186) 151
Binder, B.R., see Zechmeister-Machhart, M. (186) 61
Bognar, A.L., see McNeil, J.B. (186) 13
Borovkov, A.Y., McClean, P.E. and Secor, G.A.
Organization and transcription of the gene encoding potato UDP-glucose pyrophosphorylase (186) 293
Botella, J.R., see Purnell, M.P. (186) 249
Buxton, R.S., see Marsden, M.D. (186) 237

Cacciò S., see Saccone S. (186) 151
Carson, D.A., see Tran, P.T. (186) 263
Choi, E.Y., see Yang, Y. (186) 77
Ciruela, A., Cross, S., Freedman, R.B. and Hazlewood, G.P.
Sequence and transcriptional analysis of *groES* and *groEL* genes from the thermophilic bacterium *Clostridium thermocellum* (186) 143
Clugston, S.L., Daub, E., Kinach, R., Miedema, D., Barnard, J.F.J. and Honek, J.F.
Isolation and sequencing of a gene coding for glyoxalase I activity from *Salmonella typhimurium* and comparison with other glyoxalase I sequences (186) 103
Collins, J.E., see Marsden, M.D. (186) 237
Conaty, J., see Noyce, L. (186) 87
Correa-Oliveira, R., see Neto, E.D. (186) 135
Cregg, J.M., see Waterham, H.R. (186) 37
Cross, S., see Ciruela, A. (186) 143

Damay, P., see Manen, D. (186) 197
Dang-Vu, K., see Gelsthorpe, M. (186) 189
Daub, E., see Clugston, S.L. (186) 103
Debnath, I., see Liu, L.X. (186) 1
Degryse E., see Nacken, V (186) 149
Digan, M.E., see Waterham, H.R. (186) 37

Eda, S., see Kawai, T. (186) 161
Eichenbaum, Z. and Scott, J.R.
Use of Tn*917* to generate insertion mutations in the group A streptococcus (186) 213

Fedorova, N.D. and Highlander, S.K.
Plasmids for heterologous expression in *Pasteurella haemolytica* (186) 207
Feltri, M.L., Arona, M., Scherer, S.S. and Wrabetz, L.
Cloning and sequence of the cDNA encoding the β4 integrin subunit in rat peripheral nerve (186) 299
Fleming, T.P., see Marsden, M.D. (186) 237
Florea, C.S. and Timko, M.P.
Actin genes with unusual organization in the parasitic angiosperm *Striga asiatica* L. (Kuntze) (186) 127
Freedman, R.B., see Ciruela, A. (186) 143
Fujinaga, Y., see Kawai, T. (186) 161

Geißdörfer, W., Ratajczak, A. and Hillen, W.
Nucleotide sequence of a putative periplasmic Mn superoxide dismutase from *Acinetobacter calcoaceticus* ADP1 (186) 305
Geiger, M., see Zechmeister-Machhart, M. (186) 61
Geiselmann, J., see Manen, D. (186) 197
Gelsthorpe, M., Pulumati, M., McCallum, C., Dang-Vu, K. and Tsubota, S.I.
The putative cell cycle gene, *enhancer of rudimentary*, encodes a highly conserved protein found in plants and animals (186) 189
Gibbs, V.C. and Pennica, D.
CRF2-4: isolation of cDNA clones encoding the human and mouse proteins (186) 97
Gil, M.C., see Yang, Y. (186) 77
Gotoh, N., see Tsujimoto, H. (186) 113
Graham, M.R. and Lo, R.Y.C.
Cloning and characterization of the *exbB-exbD-tonB* locus of *Pasteurella haemolytica* A1 (186) 201
Greenwood, M.D., see Marsden, M.D. (186) 237

Ha, H., see Yang, Y. (186) 77
Hamamoto O., see Hamamoto O. (186) 153
Hansen, L.H., Sørensen, S.J. and Jensen, L.B.
Chromosomal insertion of the entire *Escherichia coli* lactose operon, into two strains of *Pseudomonas*, using a modified mini-Tn*5* delivery system (186) 167
Harrop, R., see Neto, E.D. (186) 135
Hashimoto, T., see Taniguchi, T. (186) 73
Hashioka, W., see Nata, K. (186) 285
Hazlewood, G.P., see Ciruela, A. (186) 143
Highlander, S.K., see Fedorova, N.D. (186) 207
Hillen, W., see Geißdörfer, W. (186) 305
Hiwatashi, A., see Kurihara, Y. (186) 21
Hogan, L.H. and Klein, B.S.
Transforming DNA integrates at multiple sites in the dimorphic fungal pathogen *Blastomyces dermatitidis* (186) 219
Honek, J.F., see Clugston, S.L. (186) 103
Hori, H., see Tran, P.T. (186) 263
Hori, Y., see Tran, P.T. (186) 263
Horiuchi, M., see Kurihara, Y. (186) 21
Hufnagl, P., see Zechmeister-Machhart, M. (186) 61

Imai, T., see Kurihara, Y. (186) 21
Intengan, H., see Belkhiri, A. (186) 155
Ito, N., see Treisman, J.E. (186) 119

Jensen, L.B., see Hansen, L.H. (186) 167
Jiang, H., Weesner, G.D. and Malven, P.V.
cDNA sequence and expression of bovine prodynorphin (186) 279
Jones, M.D., see Warrens, A.N. (186) 29

Kagotani, K., see Tran, P.T. (186) 263
Kahala, M., see Savijoki, K. (186) 255
Karasawa, T., see Nata, K. (186) 285
Kase, T., see Kawai, T. (186) 161
Kashlev, M., see Alekshun, M. (186) 227
Katahira, M., see Kurihara, Y. (186) 21
Kawai, T., Suzuki, Y., Eda, S., Ohtani, K., Kase, T., Fujinaga, Y., Sakamoto, T., Kurimura, T. and Wakamiya, N.
Cloning and characterization of a cDNA encoding bovine mannan-binding protein (186) 161
Kawamata, T., see Taniguchi, T. (186) 73
Kikuchi M., see Hamamoto O. (186) 153
Kinach, R., see Clugston, S.L. (186) 103
Klassen, G.R., see Belkhiri, A. (186) 155
Klein, B.S., see Hogan, L.H. (186) 219
Koike, K. and Matsuo, S.
Functional characterization of the 5'-flanking region of the gene encoding human 2-oxoglutarate dehydrogenase (186) 45
Koizumi, T., see Taniguchi, T. (186) 73
Korschineck, I., see Zechmeister-Machhart, M. (186) 61
Koutz, P.J., see Waterham, H.R. (186) 37
Kumagai, T., see Nata, K. (186) 285
Kurihara, Y., Nagata, T., Imai, T., Hiwatashi, A., Horiuchi, M., Sakakibara, S.-i., Katahira, M., Okano, H. and Uesugi, S.
Structural properties and RNA-binding activities of two RNA recognition motifs of a mouse neural RNA-binding protein, mouse-Musashi-1 (186) 21
Kurimura, T., see Kawai, T. (186) 161
Kusuda J., see Saccone S. (186) 151

Lair, S.V., see Waterham, H.R. (186) 37
Lechler, R.I., see Warrens, A.N. (186) 29
Lecomte, F., Szpirer, J. and Szpirer, C.
The S3a ribosomal protein gene is identical to the *Fte-1* (v-*fos* transformation effector) gene and the TNF-α-induced *TU-11* gene, and its transcript level is altered in transformed and tumor cells (186) 271
Liu, L.X., Xu, H., Weller, P.F., Shi, A. and Debnath, I.
Structure and expression of a novel filarial gene for glia maturation factor (186) 1
Lo, R.Y.C., see Graham, M.R. (186) 201

Maeda, K., see Taniguchi, T. (186) 73
Magee, A.I., see Marsden, M.D. (186) 237
Malven, P.V., see Jiang, H. (186) 279
Manen, D., Pougeon, M., Damay, P. and Geiselmann, J.
A sensitive reporter gene system using bacterial luciferase based on a series of plasmid cloning vectors compatible with derivatives of pBR322 (186) 197
Marsden, M.D., Collins, J.E., Greenwood, M.D., Adams, M.J., Fleming, T.P., Magee, A.I. and Buxton, R.S.
Cloning and transcriptional analysis of the promoter of the human type 2 desmocollin gene (*DSC2*) (186) 237
Matsuo, S., see Koike, K. (186) 45
McCallum, C., see Gelsthorpe, M. (186) 189
McClean, P.E., see Borovkov, A.Y. (186) 293
McGowan, M.H., Neubauer, J.A. and Stolle, C.A.
Characterization of the rat carbonic anhydrase II gene structure: sequence analysis of the 5' flanking region and 3' *UTR* (186) 181
McNeil, J.B., Zhang, F.-R., Taylor, B.V., Sinclair, D.A., Pearlman, R.E. and Bognar, A.L.
Cloning, and molecular characterization of the *GCV1* gene encoding the glycine cleavage T-protein from *Saccharomyces cerevisiae* (186) 13
Miedema, D., see Clugston, S.L. (186) 103
Mizusawa K., see Hamamoto O. (186) 153
Mora, M., see Mulder, L.C.F. (186) 83
Mulder, L.C.F., Rossini, M. and Mora, M.
Human *CD46* aberrant splicing in transgenic mice (186) 83

Nacken V., see Nacken, V (186) 149
Nagata, T., see Kurihara, Y. (186) 21
Nakai, M., see Taniguchi, T. (186) 73
Nakamura, S., see Nata, K. (186) 285
Nata, K., Takamura, T., Karasawa, T., Kumagai, T., Hashioka, W., Tohgo, A., Yonekura, H., Takasawa, S., Nakamura, S. and Okamoto, H.
Human gene encoding CD38 (ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase): organization, nucleotide sequence and alternative splicing (186) 285
Neto, E.D., Harrop, R., Correa-Oliveira, R., Wilson, R.A., Pena, S.D.J. and Simpson, A.J.G.
Minilibraries constructed from cDNA generated by arbitrarily primed RT-PCR: an alternative to normalized libraries for the generation of ESTs from nanogram quantities of mRNA (186) 135
Neubauer, J.A., see McGowan, M.H. (186) 181
Nishino, T., see Tsujimoto, H. (186) 113
Nobori, T., see Tran, P.T. (186) 263
Noyce, L., Conaty, J. and Piper, A.A.
Identification of a novel tissue-specific processed *HPRT* gene and comparison with X-linked gene transcription in the Australian marsupial *Macropus robustus* (186) 87

Oakley, T.H., see Reed, K.M. (186) 7
Ohtani, K., see Kawai, T. (186) 161
Okamoto, H., see Nata, K. (186) 285
Okano, H., see Kurihara, Y. (186) 21
Okumura, K., see Tran, P.T. (186) 263
Oyamada, Y., see Tsujimoto, H. (186) 113

Palva, A., see Savijoki, K. (186) 255
Park, S.H., see Yang, Y. (186) 77
Pearlman, R.E., see McNeil, J.B. (186) 13
Pena, S.D.J., see Neto, E.D. (186) 135
Pennica, D., see Gibbs, V.C. (186) 97
Pezo, V. and Wain-Hobson, S.
Hypermutagenic in vitro transcription employing biased NTP pools and manganese cations (186) 67
Phillips, R.B., see Reed, K.M. (186) 7
Piper, A.A., see Noyce, L. (186) 87
Pougeon, M., see Manen, D. (186) 197
Pulumati, M., see Gelsthorpe, M. (186) 189
Purnell, M.P., Stewart, G.R. and Botella, J.R.
Cloning and characterisation of a glutamate dehydrogenase cDNA from tomato (*Lycopersicon esculentum* L.) (186) 249
Pyun, K.H., see Yang, Y. (186) 77

Ratajczak, A., see Geißdörfer, W. (186) 305
Ray, R.B. and Steele, R.
Separate domains of MBP-1 involved in *c-myc* promoter binding and growth suppressive activity (186) 175
Reed, K.M., Oakley, T.H. and Phillips, R.B.
An *AluI* fragment isolated from lake trout (*Salvelinus namaycush*), maps to the intergenic spacer region of the rDNA cistron (186) 7
Rossini, M., see Mulder, L.C.F. (186) 83
Rubin, G.M., see Treisman, J.E. (186) 119

Saccone S., see Saccone S. (186) 151
Sakakibara, S.-i., see Kurihara, Y. (186) 21
Sakamoto, T., see Kawai, T. (186) 161
Savijoki, K., Kahala, M. and Palva, A.
High level heterologous protein production in *Lactococcus* and *Lactobacillus* using a new secretion system based on the *Lactobacillus brevis* S-layer signals (186) 255
Scherer, S.S., see Feltri, M.L. (186) 299
Schwartz, I., see Alekshun, M. (186) 227
Scott, J.R., see Eichenbaum, Z. (186) 213
Secor, G.A., see Borovkov, A.Y. (186) 293
Sekine H., see Hamamoto O. (186) 153
Shi, A., see Liu, L.X. (186) 1
Shimada, K., see Taniguchi, T. (186) 73
Simcox, T., see Zheng, C.-F. (186) 55
Simpson, A.J.G., see Neto, E.D. (186) 135
Sinclair, D.A., see McNeil, J.B. (186) 13
Sørensen, S.J., see Hansen, L.H. (186) 167
Steele, R., see Ray, R.B. (186) 175
Stewart, G.R., see Purnell, M.P. (186) 249
Stolle, C.A., see McGowan, M.H. (186) 181
Suzuki, Y., see Kawai, T. (186) 161
Szpirer, C., see Lecomte, F. (186) 271
Szpirer, J., see Lecomte, F. (186) 271

Taguchi, H., see Tran, P.T. (186) 263
Takamura, T., see Nata, K. (186) 285
Takasawa, S., see Nata, K. (186) 285
Tanaka, C., see Taniguchi, T. (186) 73
Taniguchi, R., see Taniguchi, T. (186) 73
Taniguchi, T., Hashimoto, T., Taniguchi, R., Shimada, K., Kawamata, T., Yasuda, M., Nakai, M., Terashima, A., Koizumi, T., Maeda, K. and Tanaka, C.
Cloning of the cDNA encoding rat *Presenilin-1* (186) 73
Taylor, B.V., see McNeil, J.B. (186) 13
Terashima, A., see Taniguchi, T. (186) 73
Timko, M.P., see Florea, C.S. (186) 127
Tohgo, A., see Nata, K. (186) 285
Tran, P.T., Hori, H., Hori, Y., Okumura, K., Kagotani, K., Taguchi, H., Carson, D.A. and Nobori, T.
Molecular cloning of the human methylthioadenosine phosphorylase processed pseudogene and localization to 3q28 (186) 263
Treisman, J.E., Ito, N. and Rubin, G.M.
misshapen encodes a protein kinase involved in cell shape control in *Drosophila* (186) 119
Tsubota, S.I., see Gelsthorpe, M. (186) 189
Tsujimoto, H., Gotoh, N., Yamagishi, J.-i., Oyamada, Y. and Nishino, T.
Cloning and expression of the major porin protein gene *opcP* of *Burkholderia* (formerly *Pseudomonas*) *cepacia* in *Escherichia coli* (186) 113

Uesugi, S., see Kurihara, Y. (186) 21
Uhrin, P., see Zechmeister-Machhart, M. (186) 61

Vaillancourt, P., see Zheng, C.-F. (186) 55

Wain-Hobson, S., see Pezo, V. (186) 67
Wakamiya, N., see Kawai, T. (186) 161
Warrens, A.N., Jones, M.D. and Lechler, R.I.
Splicing by overlap extension by PCR using asymmetric amplification: an improved technique for the generation of hybrid proteins of immunological interest (186) 29
Watarai T., see Hamamoto O. (186) 153
Waterham, H.R., Digan, M.E., Koutz, P.J., Lair, S.V. and Cregg, J.M.
Isolation of the *Pichia pastoris* glyceraldehyde-3-phosphate dehydrogenase gene and regulation and use of its promoter (186) 37
Weesner, G.D., see Jiang, H. (186) 279
Weller, P.F., see Liu, L.X. (186) 1
Wilson, R.A., see Neto, E.D. (186) 135
Wrabetz, L., see Feltri, M.L. (186) 299

Xu, H., see Liu, L.X. (186) 1
Xu, L., see Zheng, C.-F. (186) 55

Yamagishi, J.-i., see Tsujimoto, H. (186) 113
Yang, Y., Gil, M.C., Choi, E.Y., Park, S.H., Pyun, K.H. and Ha, H.
Molecular cloning and chromosomal localization of a human gene homologous to the murine R-PTP-κ, a receptor-type protein tyrosine phosphatase (186) 77
Yasuda, M., see Taniguchi, T. (186) 73
Yonekura, H., see Nata, K. (186) 285

Zechmeister-Machhart, M., Hufnagl, P., Uhrin, P., Korschineck, I., Binder, B.R. and Geiger, M.
Molecular cloning and sequence analysis of the mouse protein C inhibitor gene (186) 61
Zhang, F.-R., see McNeil, J.B. (186) 13
Zheng, C.-F., Simcox, T., Xu, L. and Vaillancourt, P.
A new expression vector for high level protein production, one step purification and direct isotopic labeling of calmodulin-binding peptide fusion proteins (186) 55